

**Check Out Our
New Website!**

www.bwpindustries.com

Registered BWP Customers Have Access To:

- Current Pricing
- Real-Time Inventory
- Searchable Interchange
- 24/7/365 Online Ordering

Free registration is available
for BWP Customers

**Not a Registered User?
Not a problem!**

BWP Customers Can Call Customer Service
Toll-Free at 1-800-621-8836 to Register

Be sure to check out
the "Specials" tab on our
website frequently for current
Internet Only special offers.



In This Section:

AXLE NUTS

Display Sets	290
Drive Axle Nuts	280 – 283
Steering Axle Nuts	284 – 286
Trailer Axle Nuts	287 – 289

AXLE NUT WRENCHES

Display Sets	291 – 292
Wrenches	293 – 294

GASKETS, FLANGES, "O" RINGS

HUBS

HUB CAPS

SEALS

SPECIALTY TOOLS

Anchor Pin Press	295
Brake Clevis Pin Press	296
Camshaft, Bushing Remover	295
Feeler Gauge	296
Pliers	295 – 296
Replacement Hook Kit	295
Seal Puller	294
Slack Adjuster Checker, Puller	296
Sockets	294
Spring Removal Tool	295
Thread Restorer	294

6 Hole Hub - Inboard Mount Drum - Shoulder Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER BEARINGS	AXLE APPLICATION
M-4153	WEBB 1056 EUCLID E-5108	BOLT CIRCLE 8.75" DRUM PILOT 7.12" W / ABS RING	INNER CUP HM218210 OUTER CUP HM212011 INNER CONE HM218248 OUTER CONE HM212049	MERITOR, EATON, DEXTER, HENDRICKSON, INGERSOL, K-B, STD FORGE, WESTPORT

8 Hole Hub - Inboard Mount Drum - Serrated Metric Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER BEARINGS	AXLE APPLICATION
M-3292	WEBB 2028 MOTOR WHEEL 89425 CONMET 101146 CONMET 101158	BOLT CIRCLE 10-53/64" DRUM PILOT 9"	INNER CUP HM218210 OUTER CUP HM212011 INNER CONE HM218248 OUTER CONE HM518445	DANA EATON MERITOR K-B STD. FORGE

10 Hole Hub - Inboard Mount Drum - Shoulder Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER CUPS	AXLE APPLICATION
M-2545	DANA 20101 MERITOR A-333-W-985 STD. FORGE 300126-001 WEBB 1221 LESS BEARING CUPS	BOLT CIRCLE 11-1/4" DRUM PILOT 9-7/16"	INNER 653 OUTER HM212011 HM212049	EATON MERITOR STD. FORGE 16-1/2" DIA. BRAKES

10 Hole Hub - Inboard Mount Drum - Shoulder Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER CUPS	AXLE APPLICATION
M-2546	DANA 22044 STD. FORGE 300140-001 WEBB 1001 LESS BEARING CUPS	BOLT CIRCLE 11-1/4" DRUM PILOT 9-7/16"	INNER HM218210 OUTER HM212011	DANA, EATON MERITOR STD. FORGE 16-1/2" DIA. BRAKES

10 Hole Hub - Inboard Mount Drum - Shoulder Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER CUPS	AXLE APPLICATION
M-2543	BUDD 103563 DAYTON 04-09179 FRUEHAUF ACC-5227-001 GUNITE H372 REYCO 402 & 410 WEBB 1331 & 1332 LESS BEARING CUPS	BOLT CIRCLE 11-1/4" DRUM PILOT 9-1/2"	INNER HM518410 OUTER HM518410	FRUEHAUF PRO-PAR MERITOR TP

10 Hole Hub - Inboard Mount Drum - Shoulder Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER CUPS	AXLE APPLICATION
M-2541	DANA 22062 STD. FORGE 300147-001 WEBB 1051 LESS BEARING CUPS	BOLT CIRCLE 8-3/4" DRUM PILOT 7-1/4"	INNER HM218210 OUTER HM212011	DANA STD. FORGE 12-1/4" DIA. BRAKES

DISC WHEEL HUBS

10 Hole Hub - Outboard Mount Drum - Headed Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER CUPS	AXLE APPLICATION
M-2542	DISCONTINUED USE M-2544 WEBB 1000 LESS BEARING CUPS	BOLT CIRCLE 11-1/4" DRUM PILOT 9-7/16"	INNER HM218210 OUTER HM212011	DANA, EATON, MERITOR, STD. FORGE, 16-1/2" DIA. BRAKES

10 Hole Hub - Outboard Mount Drum - Headed Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER CUPS	AXLE APPLICATION
M-2544	WEBB 1020 LESS BEARING CUPS	BOLT CIRCLE 11-1/4" DRUM PILOT 8-17/32"	INNER HM218210 OUTER HM212011	DANA, EATON MERITOR STD. FORGE 16-1/2" DIA. BRAKES

10 Hole Hub - Outboard Mount Drum - Serrated Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER CUPS	AXLE APPLICATION
M-3294	MOTORWHEEL 87396 REYCO 409 WEBB 1320 LESS BEARING CUPS	BOLT CIRCLE 11-1/4" DRUM PILOT 8-17/32"	INNER HM518410 OUTER HM518410	FRUEHAUF PRO-PAR MERITOR TP

10 Hole Hub - Outboard Mount Drum - Serrated Studs



BWP NO.	REPLACES	HUB SPEC	INNER & OUTER BEARINGS	AXLE APPLICATION
M-3290	WEBB 2323 CONMET 101265/6 GUNITE HT683K REYCO 411 ERIE 708-52	BOLT CIRCLE 11-1/4" DRUM PILOT 8-3/4"	INNER & OUTER CUP HM518410 INNER & OUTER CONE HM518445	DANA EATON FRUEHAUF INGERSOLL MERITOR

10 Hole Hub - Outboard Mount Drum - Serrated Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER BEARINGS	AXLE APPLICATION
M-4155	WEBB 2323 EUCLID E-9349 CON-MET 101265 DAYTON 15502 HAYES 90412-3 REYCO 411	BOLT CIRCLE 11.25" DRUM PILOT 8.78" W / ABS RING	INNER & OUTER CUP HM518410 INNER & OUTER CONE HM518445	MERITOR DANA SPICER EATON FRUEHAUF HENDRICKSON INGERSOLL

10 Hole Hub - Outboard Mount Drum - Serrated Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER BEARINGS	AXLE APPLICATION
M-4156	WEBB 2343 DAYTON 15536 HAYES 91061	BOLT CIRCLE 11.25" DRUM PILOT 8.78" W / ABS RING	INNER & OUTER CUP HM518410 INNER & OUTER CONE HM518445	MERITOR DANA SPICER EATON FRUEHAUF HENDRICKSON INGERSOLL

10 Hole Hub - Outboard Mount Drum - Hub Piloted, Metric Studs



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER CUPS	AXLE APPLICATION
M-3295	ERIE 706 WEBB 2023	BOLT CIRCLE 287.75MM	INNER HM218210	DANA, "22", EATON, J, JE MERITOR, RN, TN
	LESS BEARING CUPS	DRUM PILOT 8.78"	OUTER HM212011	

10 Hole Hub - Outboard Mount Drum - Serrated Studs, Steer Axle



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER BEARINGS	AXLE APPLICATION
M-4157	WEBB 2520 DAYTON 15519 GUNTE HF634K HAYES 90430 VOLVO 90403-0020	BOLT CIRCLE 11.25" DRUM PILOT 8.78" W / ABS RING	INNER CUP HM212011 INNER CONE HM212047 CAN USE HM212049 CAN USE HM212049A OUTER CUP 3720 OUTER CONE 3782	MERITOR DANA EATON WESTPORT

10 Hole Hub - Outboard Mount Drum - Serrated Studs, Steer Axle



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER BEARINGS	AXLE APPLICATION
M-4158	WEBB 2530	BOLT CIRCLE 11.25" DRUM PILOT 8.78" W / ABS RING	INNER CUP 6420 INNER CONE 6461A	MERITOR DANA EATON
			OUTER CUP 552A OUTER CONE 555S	

10 Hole Hub - Outboard Mount Drum - Serrated Studs, Drive Axle



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER BEARINGS	AXLE APPLICATION
M-4159	WEBB 2643 GMC 15576205 EUCLID 5117 GUNITE H403K HAYES 91402 LELAND W-485 DAYTON 0415675002 EUCLID E-9347	BOLT CIRCLE 11.25" DRUM PILOT 8.78"	INNER CUP 592A INNER CONE 598A CAN USE 594A OUTER CUP 572 OUTER CONE 580	MERITOR DANA EATON

10 Hole Hub - Outboard Mount Drum - Serrated Studs, Drive Axle



BWP NO.	REPLACES	HUB SPEC	INNER AND OUTER BEARINGS	AXLE APPLICATION
M-4160	WEBB 2653 DAYTON 0415828002	BOLT CIRCLE 11.25" DRUM PILOT 8.78"	INNER CUP 592A INNER CONE 598A CAN USE 594A OUTER CUP 572 OUTER CONE 580	MERITOR DANA EATON NAVISTAR

TRAILER AXLE SEALS

Trailer Axle Seals



M-670A	NEOPRENE SEAL EATON F-1354 STD. FORGE 106999-003	4"	5-3/4"	POPULAR 18,000 LB. AXLE SEAL. WILL REPLACE M-661
M-2576	NEOPRENE SEAL DANA 30064 STD. FORGE 106999-005	4-1/2"	6-1/2"	STD. FORGE A-26 DANA K-30 AXLES

Fruehauf Pro-Par Center Fill Type – Lexan



BWP NO.	REPLACES	THREAD SIZE	NOTE
M-1052	FRUEHAUF ACC-7538-900	6-1/4" - 8	M-1052 CAP INCLUDES: M-1065 "O" RING M-1066 PLUG M-1941 BWP WRENCH

Fruehauf Pro-Par – Hubodometer Type – Lexan



BWP NO.	REPLACES	THREAD SIZE	NOTE
M-2764	FRUEHAUF ACC-6113-900 STEMCO 640-0003 HU-700L 01-000700L-001	6-1/4" - 8	SAME AS M-1052 EXCEPT HAS SIDE PLUG FOR HUBODOMETER M-2764 CAP INCLUDES: M-1065 "O" RING M-2765 SIDE PLUG

6 Hole Hub Cap – Center Fill Type – Lexan



BWP NO.	REPLACES	BOLT CIRCLE	BOLT SIZE	INSIDE DEPTH	O.D.	I.D.	NOTE
M-2766	STEMCO 4009 4046	5-1/2"	5/16"	2-3/4"	6-11/16"	4-5/16"	M-2766 CAP INCLUDES: M-2768 GASKET M-2767 FLANGE M-1066 PLUG M-2765 SIDE PLUG

6 Hole Hub Cap – Hubodometer Type – Lexan



BWP NO.	REPLACES	BOLT CIRCLE	BOLT SIZE	INSIDE DEPTH	O.D.	I.D.	NOTE
M-2769	STEMCO 640-0001 HU353L 01-000353L-001	5-1/2"	5/16"	2-3/4"	6-11/16"	4-5/16"	SAME AS M-2766 EXCEPT HAS SIDE PLUG FOR HUBODOMETER. M-2769 INCLUDES: M-2768 GASKET M-2767 FLANGE M-2765 SIDE PLUG

6 Hole Hub Cap – Center Fill Stemco Type – Aluminum



BWP NO.	REPLACES	BOLT CIRCLE	BOLT SIZE	INSIDE DEPTH	O.D.	I.D.	NOTE
M-2774	STEMCO 240-4009	5-1/2"	5/16"	1-15/16"	6-1/4"	4-3/8"	DIE CAST ALUMINUM TYPE WITH WINDOW: M-2774 CAP INCLUDES: M-2768 GASKET M-1066 PLUG

Check out the "Specials" tab on our website frequently for current Internet Only special offers



HUB CAPS – OIL AND GREASE, HUB CAP DISPLAY

6 Hole Cap – Center Fill Stemco Type – Aluminum



BWP NO.	REPLACES	BOLT CIRCLE	BOLT SIZE	INSIDE DEPTH	O.D.	I.D.	NOTE
M-3988	STEMCO 33-4009	5-1/2"	5/16"	1-15/16"	6-1/4"	4-3/8"	SAME AS M-2774 EXCEPT HAS SIDE PLUG. INCLUDES: M-2768 GASKET M-1066 PLUG

Window Kit – for M-3988



BWP NO.	DESCRIPTION	NOTE
M-3989	WINDOW KIT	FOR M-3988

5 Hole Hub Cap – Hubodometer Type – Lexan



BWP NO.	REPLACES	BOLT CIRCLE	BOLT SIZE	INSIDE DEPTH	O.D.	I.D.	NOTE
M-2773	STEMCO 640-0002 HU360L 01-000360L-001	5-1/2"	5/16"	2-3/4"	6-13/16"	4-5/16"	SAME AS M-2770 EXCEPT HAS SIDE PLUG FOR HUBODOMETER M-2773 CAP INCL: M-2772 GASKET M-2771 FLANGE M-2765 SIDE PLUG

6 Hole Hub Cap – Grease Type – Metal



BWP NO.	REPLACES	BOLT CIRCLE	BOLT SIZE	O.D.	I.D.	NOTE
M-767	DANA M-10HK129 MERITOR 3262-S-45 STD. FORGE A-170074	5-1/2"	5/16"	6-1/8"	4-1/2"	METAL HUB CAP FOR MERITOR AND STD. FORGE AXLES. USE WITH M-837 OR M-2768 GASKETS

Hub Cap Display and Display Board



BWP NO.	DISPLAY INCLUDES	NOTES																
M-2775	<table border="0"> <tr> <td>1 M-1052 HUB CAP</td> <td>6 M-1065 "O" RING</td> </tr> <tr> <td>1 M-2764 HUB CAP</td> <td>6 M-1066 PLUG</td> </tr> <tr> <td>1 M-2766 HUB CAP</td> <td>6 M-2765 PLUG</td> </tr> <tr> <td>1 M-2769 HUB CAP</td> <td>25 M-2768 GASKET</td> </tr> <tr> <td>1 M-2774 HUB CAP</td> <td>25 M-2772 GASKET</td> </tr> <tr> <td>1 M-2770 HUB CAP</td> <td>2 M-2767 FLANGE</td> </tr> <tr> <td>1 M-2773 HUB CAP</td> <td>2 M-2771 FLANGE</td> </tr> <tr> <td>1 M-767 HUB CAP</td> <td>1 M-2776 BOARD</td> </tr> </table>	1 M-1052 HUB CAP	6 M-1065 "O" RING	1 M-2764 HUB CAP	6 M-1066 PLUG	1 M-2766 HUB CAP	6 M-2765 PLUG	1 M-2769 HUB CAP	25 M-2768 GASKET	1 M-2774 HUB CAP	25 M-2772 GASKET	1 M-2770 HUB CAP	2 M-2767 FLANGE	1 M-2773 HUB CAP	2 M-2771 FLANGE	1 M-767 HUB CAP	1 M-2776 BOARD	FOR BOARD AND HOOKS ONLY, ORDER: M-2776. DIMENSIONS ARE: 24" WIDE X 30" HIGH
1 M-1052 HUB CAP	6 M-1065 "O" RING																	
1 M-2764 HUB CAP	6 M-1066 PLUG																	
1 M-2766 HUB CAP	6 M-2765 PLUG																	
1 M-2769 HUB CAP	25 M-2768 GASKET																	
1 M-2774 HUB CAP	25 M-2772 GASKET																	
1 M-2770 HUB CAP	2 M-2767 FLANGE																	
1 M-2773 HUB CAP	2 M-2771 FLANGE																	
1 M-767 HUB CAP	1 M-2776 BOARD																	

AXLE PARTS

"O" RING, PLUGS, GASKETS, FLANGES

"O" Ring for Pro-Par Hub Cap



BWP NO.	REPLACES	I.D.	O.D.	NOTE
M-1065	"O" RING FRUEHAUF AXA-0484-1	5-1/2"	6"	USE WITH: M-1052 CAP M-2764 CAP

Plugs – Center Fill and Side Plugs



BWP NO.	REPLACES	NOTE
M-1066	CENTER FILL PLUG FRUEHAUF AXA-1005-1	STANDARD PLUG FOR ALL CENTER FILL HUB CAPS
M-2765	SIDE FILL (HUBO) PLUG ENGLIER 641-0001	STANDARD SIDE PLUG (INCLUDES "O" RING) FOR ALL SIDE FILL LEXAN HUBODOMETER PLUGS

Gaskets – Universal, 3, 5 and 6 Hole



BWP NO.	REPLACES	O.D.	I.D.	BOLT CIRCLE	NOTE
M-837	UNIVERSAL GASKET MAY BE USED FOR 3, 4, 5, 6 HOLE HUB CAPS	6-3/8"	4-3/8"	5-1/2"	MAY BE USED ON ALL HUB CAPS WITH 5-1/2" BOLT CIRCLE
M-2768	6 HOLE GASKET STEMCO 330-3009	6-1/4"	4-3/4"	5-1/2"	STANDARD FOR 6 HOLE HUB CAPS USE WITH: M-2766, M-2769, M-2774, M-767
M-2772	5 HOLE GASKET STEMCO 330-3013	6-5/8"	4-3/4"	5-1/2"	STANDARD FOR 5 HOLE HUB CAPS USE WITH: M-2770, M-2773
M-829	3 HOLE GASKET STEMCO 330-3003	6-1/16"	4-1/2"	5-1/4"	USE WITH: M-828 HUB CAP

AXLE PARTS


Flange – 6 Hole



BWP NO.	REPLACES	O.D.	I.D.	BOLT CIRCLE	BOLT SIZE	NOTE
M-2767	6 HOLE FLANGE FOR ALL STANDARD 6 HOLE HUB CAPS WITH 5-1/2" BOLT CIRCLE	6-3/4"	4-7/8"	5-1/2"	5/16"	USE WITH: M-2766 M-2769 CAPS

DRIVE AXLE FLANGE GASKETS AND DISPLAY BOARD

Drive Axle Flange




BWP NO.	TYPE	I.D.	O.D.	BOLT CIRCLE	BOLT SIZE	NO. OF BOLTS	REPLACES
M-2530	1	4"	5-9/16"	4-3/4"	7/16"	8	FORD A8TZ1001A
M-2531	3	4-1/2"	6-1/16"	5-1/4"	1/2"	12	GMC 2362158
M-2532	1	4-1/2"	6-1/8"	5-9/32"	1/2"	8	FORD A8TZ-1001C GMC 2310537 IHC 218208R1 ROCK. 2208-J-426 WHITE 466884

M-2533	3	5"	6-1/2"	5-11/16"	7/16"	12	GMC 2321015 IHC 974577R1 MACK 131SP47 ROCK. 2208-F-422 WHITE 467836
M-2534	2	5-5/8"	8-1/2"	7"	3/4"	8	FORD B3TZ1001A IHC 115135H MACK 130SP19 WHITE 716743

M-2535	3	5-11/16"	7-7/16"	6-7/16"	1/2"	12	IHC 138776R1 MACK 131SP59 ROCK. 2208-Z-416 WHITE 476375
M-2536	1	5-3/4"	8-3/8"	7"	5/8"	8	— —
M-2537	1	6"	8-1/4"	7"	5/8"	8	GMC 2362287 IHC 297336C1 MACK 131SP31 ROCK. 2208-W-413 WHITE 453127

Gasket Display Board



BWP NO.	GENERAL INFORMATION
M-2538	<p>COMPLETE DISPLAY INCLUDES:</p> <ul style="list-style-type: none"> 25 M-2530 AXLE FLANGE GASKET 25 M-2531 AXLE FLANGE GASKET 25 M-2532 AXLE FLANGE GASKET 25 M-2533 AXLE FLANGE GASKET 50 M-2534 AXLE FLANGE GASKET 50 M-2535 AXLE FLANGE GASKET 25 M-2536 AXLE FLANGE GASKET 50 M-2537 AXLE FLANGE GASKET 25 M-837 HUB CAP GASKET 25 M-1065 HUB CAP "O" RING 1 M-2539 DISPLAY BOARD AND HOOKS
M-2539	DISPLAY BOARD AND HOOKS ONLY

DRIVE AXLE SPINDLE NUTS AND WASHERS


Eaton 32M-MR, 3M-MF, 34D-DT-RP-RT, 17800-1 Axles



M-1984

BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1984	OUTER NUT EATON 34090	2-5/8"- 12 THD.	3-3/8" A.F.	1"	BWP WRENCH: M-1910
M-1985	LOCK WASHER EATON 30714	2-5/8" I.D.	4" O.D.	3/32"	— —
M-1986	INNER NUT EATON 19186	2-5/8"- 12 THD.	3-7/16" A.F.	15/32"	BWP WRENCH: M-1910

Eaton 38R3-RP-RT, 42R3-RP-RT, 18800, 18801-2-3 Axles



M-1988

M-1987	OUTER NUT EATON 31926	3"-12 THD.	3-13/16" A.F.	1"	BWP WRENCH: M-1912
M-1988	LOCK WASHER EATON 90180	3" I.D.	4-1/2" O.D.	3/32"	— —
M-1989	INNER NUT EATON 90229	3"-12 THD.	3-13/16" A.F.	1/2"	BWP WRENCH: M-1912

Eaton 1911-1919, 2011, 20500-1, 19500-1-2 Axles



M-1992

M-1990	OUTER NUT EATON 31927	3-1/4" 12 THD.	4-1/16" A.F.	1"	BWP WRENCH: M-1915
M-1991	LOCK WASHER EATON 11245	3-1/4" I.D.	4-3/4" O.D.	1/8"	— —
M-1992	INNER NUT EATON 11249	3-1/4" 12 THD.	4-1/8" A.F.	1/2"	BWP WRENCH: M-1915

Ford 18,000 Lb. Rear Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1986	OUTER NUT FORD D7HZ-4245A	2-5/8"- 12 THD.	3-7/16" A.F.	15/32"	BWP WRENCH: M-1910
M-1985	LOCK WASHER FORD EQH-1124	2-5/8" I.D.	4" O.D.	3/32"	— —
M-683	LOCK WASHER FORD 7EQ-1124A	2-41/64" I.D.	3-15/16"	1/4"	— —
M-3391	INNER NUT FORD D7HZ-4255A	2-5/8"- 12 THD.	3-1/2"	3/8"	BWP WRENCH: M-1910

DRIVE AXLE SPINDLE NUTS AND WASHERS

Mack 50,000 lb. Axles

M-1978



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1978	OUTER NUT MACK 25QJ36	3-1/4"- 12 THD.	4" A.F.	3/8"	BWP WRENCH: M-1914
M-1979	LOCK WASHER MACK 23QJ201	3-1/4" I.D.	4-5/16" O.D.	3/16"	— —
M-1980	INNER NUT MACK 25QJ35	3-1/4"- 12 THD.	4" A.F.	3/8"	BWP WRENCH: M-1914

Mack SW-56C Axles

M-1998



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1997	OUTER NUT MACK 21-AX-626	2-7/8"- 12 THD.	4-1/8" A.F.	3/8"	BWP WRENCH: M-1915
M-1998	LOCK WASHER MACK 23-QJ-125 MACK 23-QJ-129	2-7/8" I.D.	4-7/16" O.D.	1/8"	— —
M-1999	INNER NUT MACK 25-QJ-138	2-7/8"- 12 THD.	4-1/8" A.F.	3/8"	BWP WRENCH: M-1915

Mack SW-57C Axles

M-2203



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-2201	OUTER NUT MACK 21-AX-335	2-15/16" 12 THD.	4-1/8" A.F.	3/8"	BWP WRENCH: M-1915
M-2203	INNER NUT MACK 25-QJ-13	2-15/16" 12 THD.	4-1/8" A.F.	3/8"	BWP WRENCH: M-1915

Navistar 17,000 – 17,500 – 30,000 lb. Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	APPLICATION
M-3296	INNER & OUTER NUT NAVISTAR 36415HB	2-1/2" 12 THD.	3-1/4"	11/32"	NAVISTAR AXLES 14039 14042 14199 14341

M-3291	LOCK WASHER NAVISTAR 36416HB	2-17/32" I.D.	3-3/4" O.D.	1/8"	NAVISTAR AXLES 14039 14042 14199 14341
---------------	------------------------------------	------------------	----------------	------	-------------------------------------------------------

DRIVE AXLE SPINDLE NUTS AND WASHERS

Navistar 19,000 – 34,000 lb. Axles

M-1986



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	APPLICATION
M-1986	INNER & OUTER NUT NAVISTAR 67678R1	2-5/8"- 12 THD.	3-7/16" A.F.	15/32"	NAVISTAR AXLES 14044 14186 14351
M-3289	LOCK WASHER NAVISTAR 470422C1	2-5/8" I.D.	4-1/16" O.D.	1/8"	

Navistar 34,000 – 50,000 lb. Axles

M-3393



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	APPLICATION
M-3390	INNER & OUTER NUT NAVISTAR 157501R1	3-1/4"- 12 THD.	4-1/8" A.F.	3/8"	NAVISTAR 14309 14311 14342 14493 14364 14277 14494 14338 14348 14368
M-3393	LOCK WASHER NAVISTAR 581694C1	3-1/4" I.D.	4-3/4" O.D.	1/8"	

Meritor Drive Axle – "F" Series

M-1969



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1969	OUTER NUT MERITOR 1227-D-446	2-1/2"- 16 THD.	3-1/2" A.F.	5/16"	BWP WRENCH: M-1910
M-1970	LOCK WASHER MERITOR 1229-C-1459	2-1/2" I.D.	3-3/4" O.D.	5/32"	— —
M-1971	INNER NUT MERITOR 1227-U-515	2-1/2"- 16 THD.	3-1/2" A.F.	5/16"	BWP WRENCH: M-1910

Meritor Drive Axle – "H" Series

M-1973



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1972	OUTER NUT MERITOR 1227-T-228	2-5/8"- 16 THD.	3-1/2" A.F.	3/8"	BWP WRENCH: M-1910
M-1973	LOCK WASHER MERITOR 1229-G-1021	2-5/8" I.D.	3-3/4" O.D.	3/16"	— —
M-1974	INNER NUT MERITOR 1227-T-540	2-5/8"- 16 THD.	3-1/2" A.F.	3/8"	BWP WRENCH: M-1910

Meritor Drive Axle – Special "H" Series

M-3391



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-3392	OUTER NUT MERITOR 1227-E-1045	2-5/8"- 12 THD.	3-1/2" A.F.	3/8"	BWP WRENCH: M-1910
M-1973	LOCK WASHER MERITOR 1229-G-1021	2-5/8" I.D.	3-3/4" O.D.	3/16"	— —
M-3391	INNER NUT MERITOR 1227-Z-1040	2-5/8"- 12 THD.	3-1/2" A.F.	3/8"	BWP WRENCH: M-1910

DRIVE AXLE SPINDLE NUTS AND WASHERS

Meritor Drive Axle – "J" and "L" Series

M-1975



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1975	OUTER NUT MERITOR 1227-H-346	3"- 12 THD.	4" A.F.	3/8"	BWP WRENCH: M-1914
M-1976	LOCK WASHER MERITOR 1229-R-1058	3" I.D.	4-1/4" O.D.	3/16"	— —
M-1977	INNER NUT MERITOR A-1227-V-516	3"- 12 THD.	4" A.F.	3/8"	BWP WRENCH: M-1914

Meritor Drive Axle – "Q", "R", "S" "T" Series

M-1979



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1978	OUTER NUT MERITOR 1227-R-330	3-1/4" 12 THD.	4" A.F.	3/8"	BWP WRENCH: M-1914
M-1979	LOCK WASHER MERITOR 1229-V-1009	3-1/4" I.D.	4-5/16" O.D.	3/16"	— —
M-1980	INNER NUT MERITOR 1227-W-517	3-1/4" 12 THD.	4" A.F.	3/8"	BWP WRENCH: M-1914

Meritor Drive Axle – "S", "U" and FU900 Series

M-1983



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1981	OUTER NUT MERITOR 1227-P-328	3-3/8" 12 THD.	4-3/8" A.F.	3/8"	BWP WRENCH: M-1917
M-1982	LOCK WASHER MERITOR 1229-V-48	3-3/8" I.D.	4" O.D.	7/32"	— —
M-1983	INNER NUT MERITOR 1227-A-547	3-3/8" 12 THD.	4-7/8" A.F.	5/16"	BWP WRENCH: M-1919



**Check Out Our
New Website!**

www.bwpindustries.com

Be sure to check out the "Specials" tab on our website frequently for current Internet Only special offers.



Registered BWP Customers Have Access To:

- Current Pricing
- Real-Time Inventory
- Searchable Interchange
- 24/7/365 Online Ordering

Free registration is available for BWP Customers

**Not a Registered User?
Not a problem!**

BWP Customers Can Call Customer Service
Toll-Free at 1-800-621-8836 to Register

FRONT STEERING AXLE NUTS AND LOCKS

Eaton – Front Steering Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-2564	OUTER NUT EATON F-328-1	1-3/4"- 12 THD.	2-3/4" A.F.	1"	BWP WRENCH: M-1923
M-2565	THRUST WASHER EATON F-911-1	1-3/4" I.D.	3-1/2" O.D.	1/4"	---
M-2566	COTTER PIN EATON X-8-331	---	3/16" O.D.	3" LONG	---

Mack – Front Steering Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-2573	SPINDLE NUT MACK 21-AX-790	1-5/8" 12 THD.	2-5/8" A.F.	3/8"	BWP WRENCH: M-1922

Navistar: 9,000 – 10,000 – 12,000 Axles



M-3288

BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-3297	INNER & OUTER NUT NAVISTAR 50325R1	2-1/16" 16 THD.	2-7/8"	3/8"	NAVISTAR 02109 02139 02309 02329
M-3288	LOCK WASHER NAVISTAR 470421C1	2-3/32" I.D.	3-7/16" O.D.	3/32"	NAVISTAR 02109 02139 02309 02329
M-3298•	THRUST WASHER NAVISTAR 451941C1	2-3/32" I.D.	3-3/4" O.D.	1/4"	NAVISTAR 02109 02139 02309 02329
M-3299•	THRUST WASHER NAVISTAR 484188C1	2-3/32" I.D.	4-1/8" O.D.	1/4"	NAVISTAR 02109 02139 02309 02329

• CHOICE OF THRUST WASHER TO USE

Meritor – FC900, FC901, and 32550 Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-2571	OUTER NUT MERITOR X-1421	1"-14 THD.	1-7/16" A.F.	5/8"	---

FRONT STEERING AXLE NUTS AND LOCKS

Meritor – FD900, FD901, FD931, FE900, FF901, FF931 Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1956	OUTER NUT MERITOR 1227-B-106	1-1/2" 12 THD	2-1/4" A.F.	7/16"	BWP WRENCH: M-1922
M-1957	OUTER WASHER MERITOR 1229-F-474	1-17/32" I.D.	3" O.D.	1/32"	ALSO USED WITH M-2569, M-2570 FOR FE931 AXLES
M-1958	LOCK WASHER MERITOR 1229-G-475	1-17/32" I.D.	2-3/4" O.D.	3/16"	ALSO USED WITH M-2569, M-2570 FOR FE931 AXLES
M-1959	INNER NUT MERITOR 1227-U-541 1227-L-194 A-1227-A-105	1-1/2" 12 THD	2-5/8" O.D.	3/8"	BWP WRENCH: M-1922

Meritor – FE931 Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-2569	OUTER NUT MERITOR 1227-K-947	1-1/2" 18 THD.	2-1/4" A.F.	7/8"	USE WITH M-1957, M-1958 FOR FE931 AXLE. BWP WRENCH: M-1902
M-2570	WASHER MERITOR 1229-L-2378	1-17/32" I.D.	1-3/8" O.D.	3/16"	USE WITH M-1957, M-1958 FOR FE931 AXLE

Meritor – FE970 and "E" Series Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1960	OUTER NUT MERITOR 1227-F-162	2-1/4" 16 THD.	2-7/8" A.F.	1/4"	BWP WRENCH: M-1932
M-1961	LOCK WASHER MERITOR 1229-S-721	2-1/4" I.D.	3-5/16" O.D.	1/16"	— —
M-1962	THRUST WASHER MERITOR 1229-H-1568	2-1/4" I.D.	4-5/16" O.D.	1/4"	— —

FRONT STEERING AXLE NUTS AND LOCKS

Meritor – FH901, FL901, and FL931 Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1963	OUTER NUT MERITOR 1227-Y-571	1-3/4" 12 THD.	2-5/8" A.F.	1-3/8"	BWP WRENCH: M-1922



M-1964	THRUST WASHER MERITOR 1229-C-1693	1-25/32" I.D.	4-1/8" O.D.	1/4"	— —
---------------	-----------------------------------------	------------------	----------------	------	-----

Meritor – FG900 Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1965	OUTER NUT MERITOR 1227-D-108	1-3/4" 12 THD.	2-1/2" A.F.	11/16"	BWP WRENCH: M-1921



M-1966	OUTER WASHER MERITOR 1229-J-478	1-25/32" I.D.	3-1/4" O.D.	1/32"	— —
---------------	---------------------------------------	------------------	----------------	-------	-----



M-1967	LOCK WASHER MERITOR 1229-H-476	1-25/32" I.D.	3" O.D.	7/32"	— —
---------------	--------------------------------------	------------------	---------	-------	-----

Meritor – 16900, 16910, 16920, 16930, 16931 Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1968	INNER NUT MERITOR A-1227-A-391	1-3/4" 12 THD.	4-1/8" O.D.	7/16"	USE WITH: M-1965, M-1966, M-1967 FOR 16000 SERIES

Check out the "Specials" tab on our website frequently for current Internet Only special offers



TRAILER AXLE SPINDLE NUTS AND WASHERS

Fruehauf No.w2 5 and TKF Eaton Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-685	SPINDLE NUT FRUEHUF 530088 EATON X-1-115	1-1/2" 12 THD.	2-3/16" A.F.	1-1/2"	USE WITH M-1069 COTTER PIN BWP WRENCH: M-1902
M-651	LOCK WASHER FRUEHAUF 530085	1-3/8" - 1-1/2" D HOLE	3" O.D.	1/4"	---
M-1069	COTTER PIN FRUEHAUF FSP-8-1-3	---	1/4" O.D.	3" LONG	---

Fruehauf Pro-Par Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1050	HEAVY DUTY NUT FRUEHAUF ACE-8510-1	3-1/2" 12 THD.	4-13/16" A.F.	1-1/8"	LATE STYLE NUT, FULLY THREADED. BWP WRENCH: M-1941
M-1051	LOCK WASHER FRUEHAUF AXA-0408-1	3-1/2" I.D.	5" O.D.	3/16"	HEAT TREATED
M-1430	COTTER PIN FRUEHAUF AXA-0409-1	---	1/4" O.D.	1" LONG	---

Meritor TN, TQ Axles – Manual Adjustment



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-684	OUTER NUT MERITOR 1227-B-756	2-5/8" 16 THD.	3-1/4" A.F.	3/8"	BWP WRENCH M-1909 OR M-1940
M-2567	LOCK WASHER MERITOR A-1229-W-2545	2-41/64" I.D.	3-15/16" O.D.	1/4"	---
M-682	INNER NUT MERITOR 1227-C-549	2-5/8" 16 THD.	3-13/16" A.F.	3/8"	BWP WRENCH M-1927

TRAILER AXLE SPINDLE NUTS AND WASHERS

Meritor, Dana, Eaton, Std. Forge — 17,000 – 18,000 lb. Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-682	INNER NUT MERITOR 1227-C-549 DANA 10284 EATON F-1529 STD. FORGE 103103-002 103104-001 DANA M10HN158	2-5/8" 16 THD.	3-13/16" A.F.	3/8"	STANDARD INNER NUT BWP WRENCH: M-1913 OR M-1940
M-683	LOCK WASHER MERITOR 1227-V-1660 DANA 10287 EATON F-1531 STD. FORGE 105107 DANA M10HN100	2-41/64" I.D.	3-15/16" O.D.	1/4"	STANDARD LOCK WASHER
M-2567	LOCK WASHER MERITOR 1229-W-2545 INCLUDES 1 SET SCREW TO POSITION AS A STOP	2-41/64" I.D.	3-15/16" O.D.	1/4"	SHORTER TAB FOR SHALLOW DEPTH AXLE KEYWAY ON SOME LATE ROCKWELL AXLES
M-684	OUTER NUT MERITOR 1227-B-756 DANA 10286 EATON F-1530 STD. FORGE 103102-001	2-5/8" 16 THD.	3-1/4" A.F.	3/8"	STANDARD OUTER NUT BWP WRENCH: M-1909 OR M-1940
M-1068	TAB LOCK STD. FORGE 105106 DANA M10HN151	2-41/64" I.D.	4-1/32" O.D.	1/16"	POSITION LOCK INSIDE M-684 NUT, BEND TABS TO LOCK NUT

AXLE PARTS

Meritor, Std. Forge, Eaton – 13,000 and 14,000 lb. Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-680	SPINDLE NUT MERITOR 1227-H-34 EATON F-1202 STD. FORGE 103100-001	1-3/4" 12 THD.	2-1/2" A.F.	3/8"	BWP WRENCH M-1921
M-649	LOCK WASHER MERITOR 1229-G-709 EATON F-1203 STD. FORGE 105102	1-5/8" – 1-3/4" D HOLE	3"	1/16"	— —
M-650	THRUST WASHER MERITOR 1229-F-708 EATON F-1247 STD. FORGE 105103	1-5/8" – 1-3/4" D HOLE	3"	1/8"	— —

TRAILER AXLE SPINDLE NUTS AND WASHERS

Meritor, Std. Forge – 10,000 and 11,000 lb. Axles



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-1524	SPINDLE NUT MERITOR 1227-X-102 STD. FORGE 103105	1-1/2" 12 THD.	2-1/4" A.F.	9/32"	BWP WRENCH M-1920
M-679	LOCK WASHER MERITOR 1229-T-462 STD. FORGE 105109	1-3/8" – 1-1/2" D HOLE	2-7/8"	1/16"	— —
M-681	THRUST WASHER MERITOR 1229-J-712 STD. FORGE 105108	1-3/8" – 1-1/2" D HOLE	2-1/4" O.D.	1/8"	— —


Meritor Paymaster Axles – RN Model



BWP NO.	REPLACES	I.D. OR THREAD	O.D. OR A.F.	THICK.	NOTE
M-846	INNER NUT MERITOR A-1227-S-887	2-3/8" 16 THD.	3-3/4" A.F.	31/64"	HAS RECESS AROUND I.D. FOR WORN BEARINGS. BWP WRENCH: M-1927
M-838	INNER NUT MERITOR 1227-B-678	2-3/8" 16" THD.	3-3/4" A.F.	31/64"	POSITIVE ADJUSTMENT NUT BWP WRENCH: M-1927
M-839	LOCK WASHER MERITOR 1229-T-1996	2-13/32" I.D.	3-13/16" O.D.	1/4"	— —
M-840	OUTER NUT MERITOR 1227-Z-676	2-3/8" 16 THD.	3-1/4" A.F.	11/32"	BWP WRENCH: M-1909 OR M-1940
M-2568	TAB LOCK POSITION BETWEEN M-839 AND M-840, AND BEND TABS	2-13/32" I.D.	4" O.D.	1/16"	LOCK TAB FOR M-840 NUT

BWP AXLE NUT DISPLAY AND PARTS RACK

BWP Axle Nut and Axle Nut Lock Washer Display – 46" Long, 32" Wide



BWP NO.	CONSISTS OF			
M-1993	(1) M-1994 BOARD AND ONE EACH OF THE PARTS LISTED BELOW			
	M-682	Nut	M-1970	Washer
	M-683	Washer	M-1971	Nut
	M-684	Nut	M-1972	Nut
	M-1068	Washer	M-1973	Washer
	M-846	Nut	M-1974	Nut
	M-839	Washer	M-1975	Nut
	M-840	Nut	M-1976	Washer
	M-1050	Nut	M-1977	Nut
	M-1051	Washer	M-1978	Nut
	M-1956	Nut	M-1979	Washer
	M-1957	Washer	M-1980	Nut
	M-1958	Washer	M-1981	Nut
	M-1959	Nut	M-1982	Washer
	M-1960	Nut	M-1983	Nut
	M-1961	Washer	M-1984	Nut
	M-1962	Washer	M-1985	Washer
	M-1963	Nut	M-1986	Nut
	M-1964	Washer	M-1987	Nut
	M-1965	Nut	M-1988	Washer
M-1966	Washer	M-1989	Nut	
M-1967	Washer	M-1990	Nut	
M-1968	Nut	M-1991	Washer	
M-1969	Nut	M-1992	Nut	
THE BWP AXLE NUT DISPLAY BOARD IS MARKED WITH THE BWP PART NO., SIZE AND APPLICATION DATA FOR EACH NUT AND WASHER				
M-1942 THREAD CHASER IS OUTLINED ON BOARD BUT IS NOT INCLUDED IN M-1993 ASSORTMENT.				
M-1994	DISPLAY BOARD & HOOKS ONLY			


AXLE PARTS

BWP Small Parts Display Cabinet




BWP NO.	INFORMATION
M-1995	• A PROMINENT PROMOTIONAL DISPLAY FOR YOUR OVER-THE-COUNTER SALES.
	• A RUGGED HEAVY DUTY RACK FOR THE POPULAR SMALL PARTS.
	• BWP'S PARTS DISPLAY RACK HAS 8 TRAYS AND 48 ADJUSTABLE COMPARTMENTS.
	• HEIGHT IS 4-1/2" FT. WIDE IS 26 INCHES. SHIPPING WEIGHT IS 52 LBS.

Complete Wrench Display – 19 Wrenches



BWP NO.	INCLUDES	
M-1950	(1) DISPLAY BOARD (M-1951) AND 19 WRENCHES SHOWN BELOW	
	6 POINT WRENCHES	
	M-1901	2-3/32"
	M-1902	2-3/8"
	M-1904	2-9/16"
	M-1906	3"
	M-1908	3-1/4"
	M-1910	3-1/2"
	M-1912	3-7/8"
	M-1914	4"
	M-1915	4-1/8"
	M-1916	4-3/8"
	M-1918	4-7/8"
	8 POINT WRENCHES	
	M-1903	2-3/8"
	M-1905	2-9/16"
	M-1907	3"
	M-1909	3-1/4"
	M-1911	3-1/2"
M-1913	3-7/8"	
M-1917	4-3/8"	
M-1919	4-7/8"	

Display of 8 Most Popular Wrenches



BWP NO.	INCLUDES	
M-1952	(1) DISPLAY BOARD (M-1951) AND 8 POPULAR WRENCHES SHOWN BELOW	
	6 POINT WRENCHES	
	M-1904	2-9/16"
	M-1910	3-1/2"
	M-1912	3-7/8"
	M-1914	4"
	M-1915	4-1/8"
	8 POINT WRENCHES	
M-1909	3-1/4"	
M-1913	3-7/8"	
M-1919	4-7/8"	


AXLE PARTS

Check out the "Specials" tab on our website frequently for current Internet Only special offers




BWP WRENCH DISPLAYS

2nd Wrench Display – 21 Wrenches, Thread Chaser



BWP NO.	INCLUDES	
M-1953	(1) DISPLAY BOARD (M-1954) AND ALL 20 WRENCHES SHOWN BELOW PLUS (1) M-1942 THREAD CHASER	
	6 POINT WRENCHES	8 POINT WRENCHES
	M-1920 2-1/4"	M-1937 2-3/4"
	M-1936 2-3/8"	M-1933 2-7/8"
	M-1921 2-1/2"	M-1935 3-1/8"
	M-1928 2-9/16"	M-1924 3-3/8"
	M-1922 2-5/8"	M-1925 3-3/4"
	M-1923 2-3/4"	M-1927 3-13/16"
	M-1932 2-7/8"	M-1940 3-7/8 x 3-3/8"
	M-1934 3-1/8"	M-1941 4-13/16"
	M-1926 3-3/4"	
	M-1943 5-1/4"	
	SPANNER WRENCHES	
	M-1929 2"	
	M-1930 2-1/8"	
	M-1931 2-1/2"	
	THREAD CHASER	
	M-1942 1-3/4" to 4"	

Display of 7 Most Popular Wrenches, Thread Chaser



BWP NO.	INCLUDES	
M-1955	(1) DISPLAY BOARD (M-1954) AND 7 POPULAR WRENCHES SHOWN WITH (1) M-1942 THREAD CHASER	
	6 POINT WRENCHES	
	M-1920 2-1/4"	
	M-1921 2-1/2"	
	M-1928 2-9/16"	
	M-1922 2-5/8"	
	M-1923 2-3/4"	
	8 POINT WRENCHES	
	M-1940 3-3/4" x 3-7/8"	
	M-1941 4-13/16"	
THREAD CHASER		
M-1942 1-3/4" to 4"		

AXLE PARTS

HEAVY DUTY AXLE NUT WRENCHES

Complete Line of 6 Point and 8 Point Wrenches
3/4" Drive Square Opening

BWP 6 Point Wrenches




BWP WRENCH NO.	OPENING SIZE
M-1901	2-3/32"
M-1920	2-1/4"
M-1902	2-3/8"
M-1936*	2-3/8"
M-1921	2-1/2"
M-1904	2-9/16"
M-1928*	2-9/16"
M-1922	2-5/8"
M-1923	2-3/4"
M-1932	2-7/8"

*M-1928 & M-1936
FITS SPECIAL
ROUNDED HEX NUT
FOR SOME FORD
TRUCKS & DANA
AXLES

M-1943 FITS
MACK AXLE
NUTS

BWP WRENCH NO.	OPENING SIZE
M-1906	3"
M-1934	3-1/8"
M-1908	3-1/4"
M-1910	3-1/2"
M-1926	3-3/4"
M-1912	3-7/8"
M-1914	4"
M-1915	4-1/8"
M-1916	4-3/8"
M-1918	4-7/8"
M-1943*	5-1/4"

BWP 8 Point Wrenches



BWP WRENCH NO.	OPENING SIZE
M-1903	2-3/8"
M-1905	2-9/16"
M-1937	2-3/4"
M-1933	2-7/8"
M-1907	3"
M-1909	3-1/4"
M-1911	3-1/2"
M-1927	3-13/16"

BWP WRENCH NO.	OPENING SIZE
M-1913	3-7/8"
M-1917	4-3/8"
M-1919	4-7/8"
M-1935	3-1/8"
M-1924	3-3/8"
M-1925	3-3/4"
M-1939	4-1/8"
M-1938	4-1/2"
M-1941	4-13/16"

AXLE PARTS

Spanner Nut Wrenches



BWP WRENCH NO.	APPLICATION	USE WITH GM NUT SIZE
M-1929	1946 THRU CURRENT CHEVROLET 5,2000 & 7,200 LB. AXLES	2" 16 THD. x 2-5/8" O.D.
M-1930	1954 THRU CURRENT CHEVROLET 11,000 TO 13,500 LB. AXLES	2-1/8" 16 THD. x 2-7/8" O.D.
M-1931	1954 THRU CURRENT CHEVROLET 15,000 LB. AXLE 1966 THRU CURRENT CHEVROLET 17,000 LB. 2-SPEED AXLE 1965 THRU CURRENT CHEVROLET 15,000 LB. TRAINING AXLE	2-1/2" 16 THD. x 3-5/8" O.D.

AXLE NUT WRENCHES — SPECIALTY TOOLS

Double End 8 Point Wrench



BWP NO.	APPLICATION
M-1940	8 POINT OPENINGS — 3-1/4" AND 3-7/8" USE WITH: M-682, M-684, M-838, M-840, M-846 ETC.

Pro-Par Hub Cap and Spindle Nut Wrench



BWP NO.	APPLICATION
M-1941	8 POINT OPENINGS — 4-13/16" USE WITH: M-1050 NUT, M-1052 HUB CAP

Mack 6 Point Axle Nut Wrench



BWP NO.	APPLICATION
M-1943	6 POINT OPENINGS — 5-1/4" USE WITH: MACK NUT 25QJ225

Sockets



BWP NO.	DESCRIPTION	OTC NO.
M-3991	33mm SOCKET	OTC1948A
M-3992	35mm SOCKET	OTC1945A
M-3993	38mm SOCKET	OTC1946A
M-3994	41mm SOCKET	OTC1947A
M-3995	1-1/2" SOCKET	OTC1949A

Universal Outside Thread Restorer



BWP NO.	APPLICATION
M-1942	CHASES THREADS FROM 1-3/4" TO 4" O.D. NO SEPARATE DIES NEEDED. THE BWP THREAD RESTORER THREADS IN ANY PITCH FROM 6 TO 28 THREADS TO THE INCH, RIGHT OR LEFT HAND THREADS. PERFECT FOR AXLE SPINDLES.
M-1942A	SET OF 3 REPLACEMENT TEETH FOR M-1942.

Roll Pin Punch Tool



BWP NO.	APPLICATION
M-2588	FOR REMOVAL OF M-647 ROLL PINS. SMALL END SEATS INSIDE ROLL PIN, PREVENTING PUNCH FROM SLIPPING. 9/32" DIA. x 5" LONG

Camshaft Bushing, Anchor Pin Bushing Removal Tool



BWP NO.	APPLICATION
M-2624	FOR 1-1/4", 1-1/2" AND 1-5/8" BUSHINGS. THIS UNIVERSAL STEP-DOWN TOOL SAVES TIME AND PREVENTS BUSHING DAMAGE.

Anchor Pin Press



BWP NO.	APPLICATION
M-2586	FOR ANCHOR PINS UP TO 1-1/4" DIA. A HEAVY DUTY PRESS THAT WILL EASILY REMOVE RUSTED AND CORRODED BRAKE ANCHOR PINS WITHOUT DAMAGE TO THE BRAKE SPIDER.

Brake Spring Plier – Heavy Duty



BWP NO.	APPLICATION
M-2587	FOR WEDGE BRAKES. HEAVY DUTY TRUCK BRAKE SPRING PLIER — PROVIDES THE EXTRA LEVERAGE AND STRENGTH NEEDED FOR SERVICING BRAKE SPRINGS. ITS 26-1/4" LENGTH GIVES THE LEVERAGE TO DO THE JOB. INCLUDES S-SCAM TIP.

Replacement Tip



BWP NO.	APPLICATION
M-2587A	REPLACEMENT TIP FOR M-2587

Spring Removal Tool



BWP NO.	DESCRIPTION	OTC NO.
M-3990	SPRING REMOVAL TOOL	OTC5081

Replacement Hook Kit



BWP NO.	DESCRIPTION	OTC NO.
M-3990A	REPLACEMENT HOOK KIT	OTC314548

Axle Stud Dowel Plier



BWP NO.	APPLICATION
M-2547	A SPECIALLY DESIGNED CONE PLIER TO GIVE THE LEVERAGE NEEDED TO EXPAND AND REMOVE THE TAPERED CONE FROM REAR AXLE STUDS WITHOUT DAMAGING THE STUD THREADS.

SPECIALTY TOOLS AND LUBRICANT

Seal Puller



BWP NO.	DESCRIPTION	OTC NO.
M-3996	HUB OIL SEAL PULLER	OTC5085

Slack Adjuster Pullers



BWP NO.	APPLICATION
M-3731	SLACK ADJUSTER PULLER FOR ALL MANUAL TYPES
M-3732	SLACK ADJUSTER PULLER FOR ROCKWELL, HALDEX, BENDIX AND GUINTE AUTOMATIC SLACK ADJUSTER

Slack Adjuster Checker




BWP NO.	APPLICATION
M-3733	FAST ACCURATE CHECK FOR BRAKE ADJUSTMENT ON CLASS 7 AND 8 TRUCKS AND TRAILER SWITCH S-CAMS USE FOR MANUAL OR AUTOMATIC SLACK ADJUSTERS

Brake Clevis Pin Press



BWP NO.	APPLICATION
M-3734	REMOVE RUSTED OR CORRODED AIR BRAKE PUSH ROD CLEVIS PINS

Feeler Gauge



BWP NO.	GENERAL INFORMATION
M-4905	12" FEELER GAUGE

Lock Ring Pliers



BWP NO.	GENERAL INFORMATION
M-4906	14" HD PLIERS FOR REMOVING AND INSTALLING LOCK RINGS INCLUDES TIPS FOR INSET LOCK RINGS

Wedge Brake Lubricant



BWP NO.	APPLICATION
M-899	LUBRIPLATE NO. 110 WEDGE BRAKE LUBRICANT TO BE GENEROUSLY APPLIED TO THE PLUNGERS AND ROLLERS OF THE WEDGE ASSEMBLY AND TO THE INSIDE PORTION OF THE SEAL ASSEMBLY. PACKAGED IN 14.5 OZ. CARTRIDGE